

35 KEYBOARD AND BASE FOR SEND RECEIVE AND
RECEIVE ONLY SETS

ACTUAL WIRING DIAGRAMS

CONTENTS	PAGE
1. GENERAL	1
2. ACTUAL WIRING DIAGRAMS	1
KEYBOARD FOR SEND RECEIVE SETS	1
BASE FOR RECEIVE ONLY SETS . .	1
1. GENERAL	
1.01 The electrical components installed on the 35 Keyboard or Base for send re- ceive and receive only sets are illustrated in the attached actual wiring diagrams.	
1.02 These diagrams show the origin and ter- mination of the various leads as well as the color coding of the leads for each of the com- ponents.	
1.03 Notes are included on the diagrams to explain the symbols used or to point out certain special conditions that should be ob- served.	

2. ACTUAL WIRING DIAGRAMS

KEYBOARD FOR SEND RECEIVE SETS

2.01 Wiring diagram 5812WD shows the wir-
ing of keyboards LK801 (Bell 35A) and
LK802 (Bell 35C).

2.02 Functional schematic diagrams for the
keyboard will be found in the appropriate
section containing the functional diagrams and
connecting information for the 35 Keyboard Send
Receive Teletypewriter Set.


BASE FOR RECEIVE ONLY SETS







2.03 Wiring diagram 5857WD covers the wir-
ing of bases LB800 (Bell 35B) and LB801
(Bell 35D).

2.04 Functional schematic diagrams for the
base will be found in the appropriate
section containing the functional diagrams and
connecting information for the 35 Receive Only
Teletypewriter Set.

5812 WD

ISSUE	DATE	AUTH. NO.
A	7-13-62	73938

- NO. NOTES
1. WIRING LEGEND:

 DISTANT TERMINATING AREA
 DISTANT TERMINAL DESIGNATION
 A-1-W-BL WIRE COLOR CODE
2. COLOR CODE:
 BK-BLACK W-BK-WHITE-BLACK
 BR-BROWN W-BR-WHITE-BROWN
 R-RED W-R-WHITE-RED
 O-ORANGE W-O-WHITE-ORANGE
 Y-YELLOW W-Y-WHITE-YELLOW
 G-GREEN W-G-WHITE-GREEN
 BL-BLUE W-BL-WHITE-BLUE
 P-PURPLE W-P-WHITE-PURPLE
 W-WHITE W-S-WHITE-SLATE
 S-SLATE
3. CONNECTOR VIEWED FROM BOTTOM.
4. *ASTERISK DENOTES #18 GA. WIRE.



ACTUAL
WIRING DIAGRAM
FOR MODEL 35
KEYBOARD
LK 801 AND LK 802

APPROVALS

D AND R	E OF M
<i>[Signature]</i>	<i>[Signature]</i>

E-NUMBER

PROD. NO. 5812 WD

DATE: 3-22-62

P.D. FILE NO. 1-30.151AA

DRAWN V.E.S. CHKD. *[Signature]*



ENGD. W.M.B. APPD. *[Signature]*

TELETYPE
CORPORATION

5812 WD

- NO. NOTES
- WIRING LEGEND:
 - COLOR CODE:

 - BK - BLACK
 - R - RED
 - P - PURPLE
 - S - SLATE
 - O - ORANGE
 - CONNECTOR VIEWED FROM BOTTOM.
 - *ASTERISK DENOTES #18 GA. WIRE.



5857 WD

ISSUE	DATE	AUTH. NO.
A	9-18-62	74559
B	11-7-62	75035

APPROVALS	
D AND R	E OF M
E. NUMBER	
PROD. NO. 5857 WD	

ACTUAL
WIRING DIAGRAM
FOR MODEL 35
BASE
LB800 & LB801

DATE: 5-18-62
P.D. FILE NO. 130.151AA
DRAWN V.E.S. CHKD.
ENGD. W.M.B.

TELETYPE
CORPORATION

5857 WD