

ANALYSIS CHART
MODEL 32 AND 33
CALL CONTROL UNIT

UCC /AC

REVISIONS

ISSUE	DATE	AUTH. NO.
2	7-2-64	82865
3	2-1-65	85869
4	8-24-65	88593

I. FEATURES

A. SYSTEMS CONTROL FEATURES

1. TWX System
 - a. Dial, Speaker, Volume Control and Ringer.
 - b. Six control keys - Spare, ANS, Clear, Orig, Test & Local
2. WADS System
 - a. Dial, Speaker, Volume Control, Break Release Lamp, Reset Pushbutton, Restraint Lamp, Out of Service Lamp, and Out of Service Rotary Switch.
3. TELEX System
 - a. Dial
 - b. Four Control Keys - Dial, Local, Comm. and Spare.
 - c. Six Control Keys - Start, Charge, Stop, Spare, Local and Reset.
4. Private Line - No Dial
 - a. Rotary power on-off switch.
 - b. Six Control Keys - RTS, RHC, PO Restore, LCL, BUZ RLS, LCL OFF.
 - c. Six Control Keys - SEND, 2 Spares, Reset, Lights, and Local.

B. VARIABLE FEATURES

1. Printer inter-connections
2. 500 Ma. Selector Magnet Driver
 - a. Designed for 60 cycle operation
 - b. Designed for 50 - 60 cycle operation
3. Local Power Supply
4. Answer back trip switch
5. Convenience outlet
6. Low paper alarm circuitry
7. Simplex operation
8. Duplex or Simplex operation
9. Elapsed time indicator
10. 12 pt. inter-connectors
11. 15 pt. inter-connectors
12. Motor Control Relay
13. Local line relay
14. Wired for fully automatic reader control
15. Line Shunt Relay
16. Special Reader Control Relay
17. Power Outlet for customer's control unit
18. 48V AC Source for reader trip magnet
19. 115V AC Source for reader trip magnet

SHEET 1 of 4

ANALYSIS CHART
MODEL 32 & 33
CALL CONTROL UNIT

DATE:

P.D. FILE NO. 2-A65.A47

DRAWN.

CHKD.

ENGD. JAB

APPD.

TELETYPE
CORPORATION

UCC/AC

REVISIONS

ISSUE	DATE	AUTH. NO.
2	7-2-64	82865
3	2-1-65	85869
4	8-24-65	88593

PL. NOTES

- A. Designed for private line operation.
Does not have Dial or Control Keys and is not fused internally.
- B. Reader, Keyboard and Distributor Cables are not interconnected but have separate cables to the outside for Computer Controls.
- C. Has Control Switch for Control of Customer's Control Unit.
- D. Special Wiring features for customers purposes. This set will not operate locally or on-line without special strapping added external to the CCU.
- E. Wired for 50 cycle operation.

Sheet 2

Analysis Chart
Model 32 & 33
Call Control Unit

DATE:

P.D. FILE NO 2-A65.A47

DRAWN

CHKD.

ENGD. JAB

APPD.

TELETYPE
CORPORATION

UCC/AC

III. INDIVIDUAL UNIT FEATURES

Code	Orig. Cust.	WD's	60,000S	Features & Notes (O)	REVISIONS		
					ISSUE	DATE	AUTH. NO.
UCC1 (182070)	Bell	4409WD	60356S	A1-a,b ... B-1, 2a, 7, 10, 19	2	7-2-64	82865
UCC2 (182073)	WU	4779WD 4777WD	60306S	A3-a,b ... B-1, 2a, 3, 6, 7, 10, 19	3	2-1-65	85869
UCC3 (182081)	Bell	6351WD	60531S 60532S	A2-a,b ... B-1, 2a, 3, 5, 6, 7, 9, 11, 12, 14, 18	4	8-24-65	88593
UCC4	Bell	6352WD	60533S	A2-a, b ... B-1, 2a, 3, 4, 5, 7, 9, 11, 12, 18			
UCC5	AW	6355WD 6356WD	60772S	A4a ... B-1, 2b, 3, 5, 8, 10, 13, 19			
UCC6	-	6353WD	60773S	A4a ... B-1, 2b, 3, 5, 8, 11, 14, 18			
UCC7	Westrex	7177WD 7178WD	60943S	A4a ... B-1, 2b, 3, 5, 8, 10, 13, 14, 19 (E)			
UCC8	Sales	6358WD 6359WD	60860S 60527S	B-1, 2a, 7, 10, 19, (A)			
UCC9	WU	7085WD 7084WD	60896S	A3-a,b ... B-1, 2a, 3, 6, 7, 10, 13, 19			
UCC10	WU	7227WD 7228WD	60306S	A3-b ... B-1, 2a, 3, 6, 7, 11, 14, 18			
UCC11	Rem. Rand	7222WD 7223WD 7224WD	60899S	A4-a, b ... B-1, 2b, 5, 6, 8, 11, 15, 18			
UCC12	CANCELLED						
UCC13	CANCELLED						
UCC14	Monroe	7179WD 7180WD	61080S	A4a ... B-1, 2b, 3, 5, 7, 11, 13, 18 (B)			

Sheet 3

Analysis Chart
Model 32 & 33
Call Control Unit

DATE:
PD. FILE NO. 2-A65.A47
DRAWN. CHKD.
ENGD. JAB APPD.

TELETYPE
CORPORATION

UGG/AC

III. INDIVIDUAL UNIT FEATURES

Code	Orig. Cust.	WD's	60,000S	Features & Notes
UCC15	ITT Export	7109WD 7110WD	60972S	A4a ... B-1, 2b, 3, 5, 8, 10, 13, 19
UCC16	RCAC	7113WD 7114WD	61,022S	A3-a, c ... B-1, 2a, 5, 7, 10, 16, 17, 19 (C)
UCC17	ITT Export	7432WD 7433WD	60772S	A4a ... B-1, 2b, 3, 5, 7, 10, 13, 19 (D)
UCC18	IHM	7465WD 7466WD	60983S	A4-a,c ... B-1, 2b, 3, 5, 8, 10, 13, 19 (D)
UCC19	Can. Nat.	7597WD 7551WD	60896S	A3-a, b ... B-1, 2a, 3, 6, 7, 11, 13, 14, 19

REVISIONS		
ISSUE	DATE	AUTH. NO.
2	7-2-64	82865
3	2-1-65	85869
4	8-24-65	88593

Sheet 4

Analysis Chart
Model 32 & 33
Call Control Unit

DATE:	
P.D. FILE NO. 2-A65, A47	
DRAWN.	CHKD.
ENG. JAB	APPD.

TELETYPE CORPORATION

UCC /AC