

28 PAGE PRINTER SET MODIFICATION KITS
(KSR/RO)

MODIFICATION KITS

Kit Number	Description	Specification Number
152307	Modification Kit to Provide Reperforator Control Mechanism on Stunt Box	5760S
152321	Modification Kit to Provide LAC with Universal Copyright Conversion	5775S
152322	Modification Kit to Provide Automatic Carriage Return and Line Feed Mechanism on Typing Units LP3 thru LP9	5788S
152324	Modification Kit to Provide Electrical Service Unit Conversion from LESU5 to LESU7	5790S
152325	Modification Kit to Provide Conversion of 152744 Line-Test Key Assembly to a 152625 Line-Test Key Assembly	5701S
152326	Modification Kit to Provide Conversion of 151822 Line Relay Mounting Assembly to a 152623 Assembly	5664S
152328	Modification Kit to Provide Conversion of 152021 Capacitor-Resistor Assembly to a 152624 Assembly	5662S
152329	Modification Kit to Provide Conversion of 151400 Electrical Motor Control Assembly to a 153251 Assembly	5706S
152335	Modification Kit to Provide Automatic Carriage Return and Line Feed Mechanism on Stunt Box	5788S
152718	Modification Kit to Provide Mechanism on Stunt Box for Motor Stop Function on Upper Case "H"	5671S
152719	Modification Kit to Provide Mechanism on Stunt Box for Motor Stop Function on Upper Case "M"	5671S
152900	Modification Kit to Provide Mechanism on Stunt Box for Spacing on Upper Case "Blank"	5784S
152914	Modification Kit to Provide XD Control on LB3	5746S
152919	Modification Kit to Convert a Typing Unit from Communications Service to Weather Map Service	5719S
153907	Modification Kit to Add Page Feed-Out and Transmitter Control Features to Typing Unit	5751S

MODIFICATION KITS (Continued)

Kit Number	Description	Specification Number
153913	Modification Kit to Provide Print Suppression During Selection for LP	5866S
153924	Modification Kit to Provide Stunt Box with Upper Case "Blank-H" Motor Control Mechanism	5835S
153941	Modification Kit to Convert Non-Selective Calling Printer Set to a Selective Calling Printer Set (Bell System 28D to 28E, 28B to 28F, 28C to 28G)	5847S
153948	Modification Kit to Provide Time Delay Motor Stop Disabler Mechanism on Stunt Box	5833S
154370	Modification Kit to Provide Improved Cable Clamp on Typebox Mechanism	50048S
154726	Modification Kit to Convert from Mechanical to Electrical Signal Line Break Mechanism on Keyboard	5796S
154782	Modification Kit to Provide Mechanism on Stunt Box to Prevent Locking-Out of the Typing Unit	5857S
154787	Modification Kit to Provide Mechanism on Stunt Box to Hold Function Lever Shaft Securely in Place	5859S
155764	Modification Kit to Provide Friction Feed Printer with Page Feed-Out and Transmitter Control Features	5751S
157526	Modification Kit to Provide Printer with Horizontal Tab on "Figs" - "G"	5864S
157528	Modification Kit to Provide Printer with Page Feed-Out on "Figs" - "Z"	5751S
157531	Modification Kit to Add "Figs" - "J" to Stunt Box	5751S
157535	Modification Kit to Add XD Control and Horizontal Tab on "Figs" - "G" to LP10 and UP	5864S
157536	Modification Kit to Add XD Control and Horizontal Tab on "Figs" - "Blank" to LP10 and Up	5864S
159369	Modification Kit to Provide a Normally Open Contact Mechanism on Stunt Box	5782S

MODIFICATION KITS (Continued)

Kit Number	Description	Specification Number
159370	Modification Kit to Provide a Normally Closed Contact Mechanism on Stunt Box	5782S
161119	Modification Kit to Provide Printer with Code Bar Shift Magnet for Continuous Spacing	5777S
161441	Modification Kit to Convert Typing Unit from Sprocket Feed to Friction Feed	5910S
162012	Modification Kit to Provide Stunt Box with Shift Slide Mechanism	5824S
162013	Modification Kit to Provide Stunt Box with Shift Slide Mechanism	5824S
162613	Modification Kit to Provide Printer with Auxiliary Connector Mounting Parts	5820S
162866	Modification Kit to Provide Stunt Box with Normally Open and Normally Closed Contacts	5782S
163518	Modification Kit to Adapt the Vertical Tabulator Control Mechanism for Use with an LXD	5751S
164079	Modification Kit to Provide Stunt Box with a Two-Letter Code Directing Call Mechanism	
165668	Modification Kit to Provide Cabinets with 48 Volt DC Incandescent Copylight System	50306S
172625	Modification Kit to Convert Friction Feed Typing Unit to Sprocket Feed	5792S
174491	Modification Kit to Provide Keyboard Signal Generator Contacts with R. F. Suppression	50015S